



Project / Job Name:

Location:

Fixture Type:

Notes:

65-677 - 28 Watt Adjustable LED Wall Pack; CCT Selectable; 3360-3500 Lumens; DLC Premium



GENERAL

Company	NUVO
EA Height	6.3
EA Width	8.47
EA Length	10.43
Bulb Included	Integrated
Dimmable Text	0-10V Dimming Only
Extends (in)	3.86
Material	Die-cast Aluminum
Fixture Type	Wall Pack
Status	Discontinued
Style	Utility
Surge Protection	Built-in surge protection - 4KV
Total Harmonic Distortion	9.70%
CCT Selectable	True
Wattage Selectable	False
Finish Family	Bronze
Additional Info	Fixture head is adjustable 0-90 degrees from wall
Amps	0.233-0.101A
Has Camera	False
IOT Enabled	False
Lens Material	Impact Resistant PC
Power Factor	>0.9
SDS Class	LED_Fixture
Indoor Outdoor	Outdoor
Product Technology	LED
Incandescent Equivalent	200W

ELECTRICAL

CCT (Kelvin Temp)	3000K/4000K/5000K
Dimmable	Yes-Dimmable
Hours Rated	50000
Beam Angle (degree)	65x95
Color Temp	Warm to Cool White
CRI	80+
Operating Frequency	50-60Hz
Operating Temp	-40C (-40F) to +40C (+104F)
HID Equivalent	70W-100W
Lumens	3360L-3500L
Volts	120V-277V
Watts	28W

PHYSICAL

Lamp Base	Integrated
Finish	BRONZE
ANSI Base	Integrated
Lamp Type	Integrated LED

ADDITIONAL INFO

Warranty	5-Years
----------	---------

PACKAGING

UPC	045923655357
Case Cube	1.6257
Case Height	13.98
Case Length	17.91
Case Quantity	4
Case UPC	10045923655354
Case Weight	17.31
Case Width	11.22
EA Cube	0.3221
EA Height	6.3
EA Length	10.43
EA Quantity	1
EA Weight	4.08
EA Width	8.47
Inner Cube	0.0
Inner Height	0.0
Inner Length	0.0
Inner Quantity	0
Inner Weight	0.0
Inner Width	0.0
Pack Type	Box
Web Height	8.08
Web Width	6.5

COMPLIANCE

ADA Compliant	True
Bug Rating	B1-U2-G1
CA Regulations	T20 Exempt - Fixtures Not Regulated
CA Prop 65	Lead
CA Status	Lawful for sale in California
Dark Sky Rated	False
DLC ID	PLR9U25CE35P
FCC Compliant	True
IP Rating	IP65
Location Rating	Wet
ROHS Compliant	Yes
Safety Listing	cULUS - Certified
CA Compliance Text	Lawful for sale
DLC Approved	True
Energy Star Certified	No
Title 20	Exempt
T24 Compliant	False