



65-701 - 4 ft. LED; Linear Strip Light; Wattage and CCT Selectable; White Finish


GENERAL

Company	NUVO
EA Height	5.38
EA Width	5.13
EA Length	50.08
Bulb Included	Integrated
Material	Steel
Fixture Type	Strip Light
Status	Active
Style	Utility
Surge Protection	Built-in surge protection - 2KV
Total Harmonic Distortion	10.71%
CCT Selectable	Yes
Wattage Selectable	Yes
Finish Family	White
Amps	0.250-0.108/0.333-0.144/0.417-0.181A
Mounting Diameter	4.75
Has Camera	No
IOT Enabled	No
Lens Finish	White
Lens Material	Polycarbonate (PC)
Photo Cell	Optional Add-On
Power Factor	0.9
SDS Class	LED_Fixture
Sloped Ceiling Compatible	Yes
Indoor Outdoor	Indoor
Product Technology	LED
Incandescent Equivalent	150W-175W

ELECTRICAL

CCT (Kelvin Temp)	3500K/4000K/5000K
Dimmable	Yes-Dimmable
Hours Rated	50000
Beam Angle (degree)	120
Color Temp	Warm to Cool White
CRI	80+
Dimming Type	0-10V Dimming
Operating Frequency	50/60Hz
Operating Temp	-4F to +140F (-20C to +60C)
HID Equivalent	100W-150W
Lumens	3900L-6750L
Volts	120V-277V
Watts	30W/40W/50W

PHYSICAL

Lamp Base	Integrated
Finish	WHITE
ANSI Base	Integrated
Lamp Type	Integrated LED

ADDITIONAL INFO

Warranty	5-Years
----------	---------

FEATURES

Flicker Free	Yes
--------------	-----

PACKAGING

UPC	045923655593
Case Cube	5.6586
Case Height	11.81
Case Length	50.67
Case Quantity	6
Case UPC	10045923655590
Case Weight	26.5
Case Width	16.34
EA Cube	0.7999
EA Height	5.38
EA Length	50.08
EA Quantity	1
EA Weight	3.75
EA Width	5.13
Pack Type	Box
Web Height	3.27
Web Length	48.0
Web Width	2.95

COMPLIANCE

Bug Rating	B2-U4-G2
CA Prop 65	Lead
DLC ID	S-WJYJF2;S-3FJR6G;S-HVBVF1
FCC Compliant	Yes
IP Rating	IP20
Location Rating	Damp
ROHS Compliant	Yes
Safety Listing	cULus - Certified
California Ban	Lawful for sale
UL Application	Ceiling / Wall
DLC Approved	Yes
Title 20	Exempt
T24/JA8 Compliant	No