



Project / Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S11444** - 14 Watt PAR38 LED; White; 5000K; 1100 Lumens; 120 Volt; PIR Sensor; Non-Dimmable



**GENERAL**

|                         |  |
|-------------------------|--|
| Company                 | SATCO  |
| EA Height               | 5.91   |
| EA Width                | 5.0  |
| EA Length               | 5.0  |
| Lamp Filament           | LED  |
| Material                | Plastic  |
| Fixture Type            | PAR  |
| Product Notes           | Dual Mode Capable: Motion or On-Off Switch   |
| Status                  | Active   |
| Style                   | Utility  |
| CCT Selectable          | No   |
| Wattage Selectable      | No   |
| Finish Family           | White  |
| Additional Info         | The lamp has an integrated motion-activated sensor designed to activate between dusk and dawn. It remains inactive in the absence of motion but turns on for a duration of 5 minutes once motion is detected. This functionality can be overridden by toggling the bulb's switch on and off twice within a span of 3 seconds, allowing it to remain continuously illuminated like a standard light bulb. |
| Amps                    | 0.117A   |
| Has Camera              | No   |
| IOT Enabled             | No   |
| Operating Position      | Universal  |
| Photo Cell              | Has PIR Sensor   |
| Power Factor            | 0.8  |
| SDS Class               | LED_Lamp   |
| Indoor Outdoor          | Indoor, Outdoor  |
| Product Technology      | LED  |
| Incandescent Equivalent | 100W   |

**PACKAGING**

|                |                |
|----------------|----------------|
| UPC            | 045923114441   |
| Case Cube      | 1.4892         |
| Case Height    | 14.17          |
| Case Length    | 16.42          |
| Case Quantity  | 12             |
| Case UPC       | 10045923114448 |
| Case Weight    | 11.51          |
| Case Width     | 11.06          |
| EA Cube        | 0.0855         |
| EA Height      | 5.91           |
| EA Length      | 5.0            |
| EA Quantity    | 1              |
| EA Weight      | 0.84           |
| EA Width       | 5.0            |
| Inner Cube     | 0.6156         |
| Inner Height   | 6.5            |
| Inner Length   | 15.63          |
| Inner Quantity | 6              |
| Inner UPC      | 20045923114445 |
| Inner Weight   | 5.03           |
| Inner Width    | 10.47          |
| Pack Type      | Box            |
| Web Length     | 5.35           |
| Web Width      | 4.85           |

**COMPLIANCE**

|                 |                                   |
|-----------------|-----------------------------------|
| FCC Compliant   | Yes                               |
| Location Rating | Wet                               |
| ROHS Compliant  | Yes                               |
| Safety Listing  | cULus - Certified, cULus - Listed |
| California Ban  | Lawful for sale                   |
| DLC Approved    | No                                |
| Title 20        | Yes                               |
| T24 Compliant   | No                                |

**ELECTRICAL**

|                     |                            |
|---------------------|----------------------------|
| CCT (Kelvin Temp)   | 5000K                      |
| Dimmable            | Non-Dimmable               |
| Hours Rated         | 15000                      |
| Beam Angle (degree) | 40                         |
| Color Temp          | Natural Light              |
| CRI                 | 90+                        |
| Operating Frequency | 60Hz                       |
| Operating Temp      | -20C (-4F) to +40C (+104F) |
| Lumens              | 1150L                      |
| Volts               | 120v                       |
| Watts               | 14W                        |

**PHYSICAL**

|               |        |
|---------------|--------|
| Lamp Base     | Medium |
| Finish        | WHITE  |
| Housing Color | White  |
| ANSI Base     | E26    |
| Lamp Type     | PAR38  |
| MOD Lamps     | 4.85   |
| MOL           | 5.35   |

**ADDITIONAL INFO**

|                            |   |
|----------------------------|---|
| Warranty                   | 2-Years   |
| Installation Notes         | To achieve optimal sensor reading, make sure the sensor is facing the desired motion area within proper distance and angle. |
| Rated For Enclosed Fixture | No  |