



Project / Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

S11868 - 10 Watt LED; Fire Rated 4 Inch; Direct Wire Downlight; Round Shape; White Finish; CCT Selectable; 120-277 Volts; Dimmable



GENERAL

Company	SATCO
EA Height	6.1
EA Width	2.68
EA Length	5.83
Bulb Included	Integrated
Diameter	4.75
Material	Aluminum / Steel
Fixture Type	Remote Driver LED Downlight
Product Notes	Driver Dimensions: 4.50" x 3.00" x 1.25"
Status	Transitioning
Style	Specialty
Total Harmonic Distortion	<20%
CCT Selectable	Yes
Wattage Selectable	No
Finish Family	White
Additional Info	2HR Fire Rated: Tested to comply with UL 263/ASTM E119/CAN-ULC S101-07; White Trim/Red Backplate
Amps	0.083-0.036A
Has Camera	No
IOT Enabled	No
Lens Finish	Frost
Lens Material	Polycarbonate (PC)
Power Factor	>0.9
SDS Class	LED_Lamp
Sloped Ceiling Compatible	No
Indoor Outdoor	Indoor
Product Technology	LED
Fixture Lamp Count	1
Incandescent Equivalent	60W

ELECTRICAL

CCT (Kelvin Temp)	2700K/3000K/3500K/4000K/5000K
Dimmable	Yes-Dimmable
Hours Rated	50000
Beam Angle (degree)	110
Color Temp	Warm White to Natural Light
CRI	90+
Dimming Type	0-10V Dimming
Operating Frequency	50/60Hz
Operating Temp	-4F to +104F (-20C to +40C)
Lumens	800L
Volts	120V-277V
Watts	10W

PHYSICAL

Lamp Base	Integrated
Finish	White / Red
ANSI Base	Integrated
Lamp Type	Integrated LED
Fixture Shape	Round

ADDITIONAL INFO

Warranty	5-Years
----------	---------

PACKAGING

UPC	045923118685
Case Cube	0.3822
Case Height	6.5
Case Length	12.01
Case Quantity	6
Case UPC	10045923118682
Case Weight	8.46
Case Width	8.46
EA Cube	0.0552
EA Height	6.1
EA Length	5.83
EA Quantity	1
EA Weight	1.33
EA Width	2.68
Pack Type	Box
Web Height	0.69
Web Width	4.75

COMPLIANCE

Air Tight	Yes
CA Prop 65	Lead
Energy Star ID	3942767
FCC Compliant	Yes
IC Rated	Yes
Location Rating	Wet
NSF Approved	No
ROHS Compliant	Yes
Safety Listing	cULus - Certified
California Ban	California T24 Listed
UL Application	LED Recessed Luminaire
DLC Approved	No
Energy Star Certified	Yes
Title 20	Exempt
T24/JA8 Compliant	Yes