



LED T8 Dimmable Ballast Compatibility Chart

Brand*	Model No.	Start Method	Number Of Lamps	Ballast Factor		Lamp Connection	1-Lamp	2-Lamp	3-Lamp	4-Lamp
				Type	Value					
Philips-Advance	IZT-2S32-SC	DPS	2	N	1.00	Series	/	4%~22%	/	/
Philips-Advance	IZT-2PSP32-SC	DPS	2	N	1.00	Parallel	24%	6%	/	/
General Electric	GE432MVPS-N-V03	DPS	4	N	0.90	Parallel	26%	17%	13%	10%
OSRAM SYLVANIA	QHE 2X32T8/UNV DIM-TC	PRS	2	N	0.88	Series	/	4%	/	/
SUNPARK	U-232PS3	RS	2	N	0.88	NA	34%	33%	/	/
SUNPARK	U-232PS3-HBF	RS	2	H	1.15	NA	32%	30%	/	/
General Electric	GE232MVPS-L-S30	DPS	2	N	0.96	Parallel	24%	14%	/	/
General Electric	GE132MVPSN-V03	DPS	1	N	0.88	n.a	13%	/	/	/
General Electric	GE332MVPSN-V03	DPS	3	N	0.98	Parallel	22%	16%	18%	/
OSRAM SYLVANIA	QTP2x32T8/UNV DIM-TC	DPS	2	N	0.88	NA	/	3%	/	/
Universal Lighting Technologies	B232PU104S50A	PRS	2	NA	NA	Parallel	26%	26%	/	/

Applies to the following Satco products:	S9746, S9747, S9748, S9749	9 Watt 2ft. T8	Ballast Factors: L - Low N - Normal H - High
	S9790, S9791, S9792, S9793	11 Watt 3ft. T8	
	S9734, S9735, S9736, S9737	14 Watt 4ft. T8	
	S9775, S9776, S9777, S9778	17 Watt 4ft. T8	

This list is current as of May. 2017. We are continuously testing for compatible ballasts. Please check back for updates.

* All trademarks are the property of their respective owners

Copyright© 2017	Distribution Centers:	National Toll-Free:	110 Heartland Blvd.
Satco Products, Inc.	New York, Florida,	800-43-SATCO	Brentwood, NY 11717
All Rights Reserved.	Texas, Washington,	(800-437-2826)	PH 631-243-2022
Rev: May. 9 2017	California, Puerto Rico	www.satco.com	FX 631-243-2027